


# JABSCO PUMP PARTS

TOLL FREE  
(877) 829 3505



Model 15170-Series

## EXPLODED VIEW Model 15170-Series



### KEY #

1	CLAMP SCREW	63000
2	CLAMP	63002
3	END COVER	63004
4	O-RING	63028
5	IMPELLER	63006
5A	GENERIC IMPELLER	63006-1
6	BODY	63032
	BODY (CIP)	63034
7	WEARPLATE	63008
8	SEAL	63010

### KEY #

9	SEAL COLLAR	63012
10	BEARING SEAL	63014
11	RETAINING RING	63016
12	BEARING HSG	63018
13	BALL BEARING (2)	63020
14	SHAFT	63022
15	KEY	63024
10/15	BRG HSG ASSEMBLY COMPLETE	

## 2 1/2" PUMP PARTS

<b>62981</b> – 21908	CLAMP SCREW	<b>62990</b> – 91701 – RETAINING RING
<b>62982</b> – 21909	CLAMP FRAME	<b>62991</b> – 22064 – BEARING HOUSING
<b>62983</b> – 22007	END COVER	<b>62992</b> – 0460 – ROLLER BEARING
<b>62984</b> – 9200-1213	O-RING	<b>62993</b> - 21978 - 000 - SHAFT
<b>62985</b> – 8500-0005	IMPELLER	<b>62994</b> – 91402 – KEY
<b>62986</b> – 22004	BODY	<b>62995</b> – 0450 – BALL BEARING REAR
<b>62987</b> – 21937	WEAR PLATE	<b>62996</b> – 917 – RETAINING RING
<b>62988</b> – 22644	SEAL KIT	
<b>62989</b> – 92701	BEARING SEAL	

# MILK HANDLING HOSE

## SPIRALITE 170 FOOD HANDLING HOSE

This hose was redesigned in response to the call for better flexibility in cold temperatures. New since the spring of '99. Color is a clear wall with a white helix and smooth surface. Good in temperatures from - 10 to + 130 degrees F.

- 55813 3/4" ID x 1" OD
- 55799 1" ID x 1.25" OD
- 55800 1.25" x 1.50" OD
- 55802 1.5" x 1.84" OD
- 55804 2" x 2.37" OD
- 55805 2.5" x 2.90" OD
- 55806 3" x 3.46" OD
- 55811 4" x 4.53" OD

**SPIRALITE<sup>®</sup> 170**  
PVC STANDARD DUTY  
FOOD HANDLING  
SUCTION HOSE

- STANDARD LENGTH: 80'
- COLOR: Clear wall and white helix, smooth surface.
- TEMPERATURE RANGE: -10°F to + 130°F
- APPLICATION: Milk handling, food processing, conditions requiring see-through flow.
- HIGH QUALITY: High quality materials in compliance with the criteria of 3A Standard No. 20-00 and FDA. Acceptable to USDA for use federally inspected meat and poultry plants.

NOMINAL SIZE	inch	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"
APPROX. O.D.	inch	1.00	1.25	1.50	1.84	2.37	2.90	3.46	4.53	5.53	6.78	8.90
RECOMMENDED P.P. AT 80°F	psi	100	100	100	90	70	70	60	50	40	35	30
P.P. AT 140°F	psi	42	42	42	42	37	32	28	28	-	-	-
MINIMUM WATER FLOW AT 80°F	gpm	28	28	28	28	28	28	28	28	20	20	8
MINIMUM AIR FLOW RATE AT 80°F	inch	2	3	3	4	5	7	9	11	16	22	40
APPROX. WT. AT 80°F	lbs./ft.	20	24	28	44	66	88	123	187	232	309	504
APPROX. P.P. AT 140°F	psi	-	-	-	126	102	96	84	84	-	-	-

\*MIN. RADIUS FOR CONTINUOUS SERVICE

- COLOR: Clear, non-toxic F.D.A. recipe.
- STANDARD LENGTH: 1/2" - 300'
- TEMPERATURE RANGE: -10°F to + 130°F
- APPLICATION: Food processing, conditions requiring see-through flow.

NOMINAL SIZE	inch	1/2" x 3/4"	3/4" x 1"	1" x 1 1/4"	1 1/4" x 1 1/2"	1 1/2" x 1 3/4"	1 3/4" x 2"	2" x 2 1/2"	2 1/2" x 3"	3" x 3 1/2"	3 1/2" x 4"	4" x 4 1/2"
INSIDE DIAMETER	inch	33/32	49/32	33/16	49/32	49/16	1	1 1/8	1 1/4	1 1/2	1 3/4	2
WALL THICKNESS	inch	±.0128	±.0128	±.0128	±.0132	±.0132	±.0132	±.0128	±.0128	±.0128	±.0128	±.0128
OUTSIDE DIAMETER	inch	19/32	5/8	3/4	7/8	1-1/32	1-5/16	1-3/4	2	2-1/8	2-1/4	2-7/8
TOLERANCE	inch	±.0128	±.0128	±.0128	±.0132	±.0132	±.0132	±.0128	±.0128	±.0128	±.0128	±.0128
MAX. WORKING PRESSURE AT 10°F	psi	250	200	200	200	150	125	100	75	75	75	75
DESIGN SAFETY PRESSURE AT 10°F	psi	1000	800	800	800	600	500	400	300	300	300	300
APPROX. WT. lbs./100'		10.5	27	41	47	62	32	81	72	108	108	108

Acceptable to USDA for use federally inspected meat and poultry plants.

\*TOO LARGE FOR UPS

## SPIRALITE 410 PVC CLEAR BRAIDED HOSE

This hose is made from non toxic FDA recipe materials. Clear with white braids and smooth surface. Good from - 10 to + 130 degrees F. USDA approved for meat and poultry plants.



- ID x OD**
- 55803-1 3/8" x 5/8"
  - 55803 1/2" x 3/4"
  - 55800-1 3/4" x 1 1/32"
  - 55801 1" x 1 5/16"
  - 55799-1 1 1/4" x 1 3/4"
  - 55801-1 1 1/2" x 2"

## TRANSFLOW M-34R SANITARY RAW MILK TUBING



Transflow was the first tubing designed to meet the rigid requirements of raw milk handling. Identification is easy with a blue stripe embedded in the wall of the tubing and the name "Transflow M-34R Tubing" branded continuously along its length. Look for the blue stripe, it is your assurance of quality.

- SIZES: 1/2" 5/8" 9/16" 3/4" 7/8" 1" 1 1/2" 2" 2 1/2" and 3"**



### S.S. HOSE PULL


- #30261 For 1 1/2" hose
- #30262 For 2" hose
- #30263 For 2 1/2" hose
- #30264 For 3" hose

**WE ARE EASTERN CROWN**

**SINCE 1947**


**BULK HAULER**

(877) 829 3505

**CANNOT JAM OR COLLAPSE!****HIGH  
IMPACT  
PLASTIC!**

**THE RUNOVENT AIR VENT IS DESIGNED TO ALLOW UNRESTRICTED AIR EXHAUST DURING THE FILLING OF THE TANKER, PRIMARILY FOR DAIRY FARM PICK UP AT PUMP CAPACITIES AND SPEEDS UP TO 150 GPM. RUNOVENT ALLOWS BREATHING AND BAFFLES AGAINST SPILLAGE DURING OVER THE ROAD TRANSPORT. SIMPLE THREE PIECE CONSTRUCTION MAKES IT EASY TO CLEAN. MEETS FDA AND MOST SANITARIANS SPECS. FITS ANY STANDARD 3" SANITARY FITTING!**

55795	RUNOVENT COMPLETE	55798	CAP
55796	SLEEVE		
55797	BAFFLE		



2" AIR FILTER  
DISC . PACKED  
100 PER BOX

# 45506

FILTERS FOR SCHWARTZ FILTER CELL. SLEEVE FILTER MEASURES 8 7/8" X 5 1/2" . PACKED 100 PER BOX.  
# 55852

SCHWARTZ FILTER CELL SUPPORT # 55850


**EASTERN CROWN HAS CLEANERS FOR YOU – THE BULK HAULER**

- **21GC** -- A NON-CHLORINATED GENERAL CLEANER. IT IS MORE EFFECTIVE THAN HARSH ALKALIS AND IT'S EASIER ON THE HANDS. #34046-34056
- **23CGC** -- THIS CLEANER IS CHLORINATED FOR MAXIMUM DETERGENCY. CLEAN WITH 23 AND WATCH SURFACES DRY BRIGHT AND FILM FREE!!! # 34058-34068
- **31PAC** – PHOSPHORIC AND NITRIC ACID. RESTORES OXIDE COATING ON STAINLESS STEEL TO MAKE IT NON-REACTIVE TO CORRODING ELEMENTS. # 34086-34096
- **33FAC** – THIS HIGH FOAM MANUAL ACID CLEANER IS HEAVY DUTY FOR FAST CLEANING ACTION! USED TO REMOVE MINERAL AND FILM DEPOSITS ON ALL SURFACES EXCEPT TIN AND ALUMINUM.
- **29MAC** – FOR CIRCULATING OF TANKS AND TANK TRUCKS. NON-FOAMING. CONTAINS 11.5% PHOSPHOROUS. USDA APP. FOR MEAT AND POULTRY PLANTS. # 34074-34084

# MILKHOUSE AND DAILY SUPPLIES

# ECI


TOLL FREE (877) 829 3505



**THE ONLY HOME PASTEURIZER WITH PRESSURIZED HEATING AND VACUUM-SEALED COOLING!!** THIS ALLOWS FOR THE MAXIMUM IN BACTERIA DESTROYING EFFECT. THE VACUUM-SEALED COOLING KEEPS IN THE FLAVORS AND VITAMINS OF THE MILK. A RUGGED, HEAVY-DUTY THERMOSTAT CONTROLS THE TEMPERATURE, KEEPING IT BETWEEN 155 AND 159 DEGREES F. BUZZER SOUNDS AT THE END OF PASTEURIZATION.


**48075**

**SPECIAL ORDER ONLY**



## SANITARY LUBRICANTS

- 41132 HAYNES TUBE "LUBRI-FILM" 12-4oz PER CTN.
- 41133 HAYNES SPRAY— Red can 6x9 oz PER CTN.  
Light Duty Sanitary Lubricating Spray
- 41134 HAYNES LUBRI-FILM—Blue can 6x11 ¼ oz  
Heavy Duty Sanitary Lubricating Spray
- 41135 12 x 12 oz cartridges per container



## PLASTIC MALLET – PLASTIC HANDLE


- UNBREAKABLE
- NON-CHIPPING
- NON-SLIP PLASTIC
- YELLOW IN COLOR

**# 48023-2**

**EASTERN CROWN, INC. SINCE 1947**



**FLOATING DAIRY THERMOMETERS – SHATTERPROOF**  
#41012 MEASURES 20 TO 220 degrees



**Lintine Sediment Test Discs**  
#45504

Superior 1 ¼” discs, 100/bag

**Disc-mounted Sediment Test Card** #45512

A 2 ¼” x 6 1/8” card with filter media permanently mounted for fast, clean handling.

**GLASS POCKET CASE THERMOMETER #41028**  
IDEAL FOR READINGS WHERE THE LIGHT IS POOR  
Measures 0 to 220 degrees, Fits in your Pocket!




**# 41024**  
Precision Temperature Instrument for  
- Refrigeration  
- Air Conditioning  
- Food Service  
- Industrial  
- Laboratory  
- Automotive  
- General Purpose

**STAINLESS STEEL PIPE THERMOMETER**  
# 41006 I WOULDN'T SUGGEST USING THIS THERMOMETER ON THANKSGIVING DAY, BUT IT IS STURDY AND ACCURATE ENOUGH FOR A HOST OF DAIRY APPLICATIONS.



# THE RIGHT BRUSH FOR YOUR APPLICATION



## PLASTIC BLOCK – COLOR CODED

Crimped synthetic bristle to visibly reduce possibility of cross contamination.

- # 20044 8", yellow nylon bristles
- # 20048 8", white crimped nylon
- # 20052 8", Made of Prostran, resists acid and boiling water
- # 20732 8", red synthetic bristle



## PLASTIC BLOCK UTILITY – 8 INCH

They float! Lightweight and will not absorb water or odor.

- # 20008 ECI-520 Oval face w/ white crimped nylon
- # 20012 ECI-520F Flat face w/ white crimped nylon



## PAIL BRUSH

White crimped nylon bristle, plastic block

- # 20004 ECI-455



## 20 INCH PLASTIC BLOCK UTILITY BRUSH

The ultimate back brush! Length reaches hard-to-get-at areas in a farm or plant.


- # 20056 Yellow nylon bristles
- # 20060 White crimped nylon
- # 20064 Prostran: acid and boiling water resistant
- # 20066 Red Synthetic bristles



## WATER-FLOW TRUCK AND WALL BRUSH

Acriliflo Truckwash. 10" plastic block with 1 threaded and 1 tapered handle hole. Gray flagged acriliflo bristles, 2 1/2" trim. Protective vinyl bumper. Use with 20900-1 Lumathread Handle.

## AN AWESOME WORKER FOR YOU!



## BOTTLE, GLASS AND JAR BRUSHES – PINT SIZE

Quickly cleans various size bottles, pitchers, blenders, glassware and sample jars. White sanitary plastic handles. 2 1/2" dia x 12" long.

- # 20712 Yellow synthetic
- # 20714 White synthetic
- # 20716 Red synthetic bristles

## BOTTLE, GLASS AND JAR BRUSHES – QUART SIZE

Same as above except 3 1/4" x 15"

- # 20724 Red synthetic
- # 20725 Yellow synthetic
- # 20726 White synthetic

## HAND STYLE QUART BOTTLE BRUSH # 20610

Plastic handles with knurled grips for greater control. 100% sanitary soak-proof design. Springy white nylon bristles wound in stainless steel wire. Overall length 16".

## HAND STYLE HALF GALLON BRUSH # 20606

Same as above except brush part is 7 1/4" with 4" diameter.